





Bid Document

	Bid Details
Bid End Date/Time	27-05-2022 17:00:00
Bid Opening Date/Time	27-05-2022 17:30:00
Bid Offer Validity (From End Date)	65 (Days)
Ministry/State Name	West Bengal
Department Name	Health And Family Welfare Department West Bengal
Organisation Name	West Bengal Medical Services Corporation (wbmsc) Kolka
Office Name	West Bengal
Total Quantity	34
Item Category	Neonatal Ventilator (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)	800 Lakh (s)
Years of Past Experience Required for same/similar service	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria, Bidder Turnover, OEM Authorization C *In case any bidder is seeking exemption from Experienc Criteria, the supporting documents to prove his eligibility exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Time allowed for Technical Clarifications during technical evaluation	2 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	ICICI
EMD Percentage(%)	0.50
EMD Amount	807500

ePBG Detail

i i		
П		
ш	Advisory Bank	HCC
ш	Advisory Bank	Telef
П		

ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	2

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the releva as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services for exemption from EMD. Traders are excluded from the purview of this Policy.
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Managing Director

WEST BENGAL, Health and Family Welfare Department West Bengal, West Bengal Medical Services Corporation (WBI Kolkata ,

(West Bengal Medical Services Corporation Ltd.)

Splitting

Bid splitting not applied.

MII Purchase Preference

MSE Purchase Preference

MII Purchase Preference	No
MSE Purchase Preference	

Yes

- 1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certaudited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indication turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of consideration into account for this criteria.
- 2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or th reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / Sta Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document be opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quanti each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet criterion.
- 3. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority: Purchase pref be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Service must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price witl 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity t price and contract will be awarded for percentage of 25 % of total quantity as defined/ decided in relevant policy.
- 4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1

v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
10-05-2022 15:00:00	WEST BENGAL MEDICAL SERVICES CORPORATION LIMITED 2ND FLOOR OF SWASTHYA SATHI SWASTHYA BHAWAN COMPLEX GN29 SECTOR 5 SALT LAKE KOLKATA 700 09

Neonatal Ventilator (34 pieces)

Brand Type Registered Brand

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Performance	Patient Type	Neonatal
Parameters	Tidal Volume Range In ml	2-300
	Trigger Sensitivity Mechanism	Flow
	Flow Pattern/Waveform Adjustment	Yes
	IE Ratio range	1:10 to 4:1
	Sigh Breath Function	Yes
	Leak Compensation Available	Yes
	Auto 100% increase O2 Button	Yes
	Inspiratory Pause Available	Yes
	Expiratory Hold Available	Yes
	Suction Control Option Available	Yes
	Nasal CPAP Option Available	Yes
	Auto PEEP Manoeuvre	Yes
	Control Panel Lock	Yes, No
	Facility for double lung ventilation	Yes
Ventilation Modes	CMV (Controlled Mandatory Ventilation)	Yes, No
	Assisted/Controlled Ventilation	Yes, No
	PSV(Pressure supported ventilation)	Yes
	SIMV(Synchronized Intermittent Mandatory Ventilation)	Yes, No

Specification	Specification Name	Bid Requirement (Allowed Values
	CPAP(Continuous Positive Airway Pressure Ventilation)	Yes, No
	Pressure Controlled 3 Selectable inspiratory pressure	Rectangle
	P-CMV(Inspiration pressure control)	Yes
	P-CMV With Expiratory Minimal volume	Yes
	P-CMV with minimum pressure	Yes
	SIMV(Synchronized intermittent Mandatory Ventilation) with PCMV	Yes
	ITT - Inspiratory Time Termination	Yes
	CPAP:Continuos Positive Airway pressure Ventilation CPAP With backup Ventilation	Yes
	P-CMV with Exp Volume control Available	Yes, No
	High Frequency Oscillation Ventilator(HFOV)	No
High Frequency Oscillations	Frequency	5-20
OSCIIIALIONS	Amplitude	0-100
PATIENT ASSESSMENT TOOLS	Maximum Waveform Displayed	3
TOOLS	Maximum Trending Time	≥72
	Lung recruitment tools(PV loops)	Yes, No
	Stress Index	No
	Lung Mechanics Visualization Tool	Yes, No
	Capnography/Co2 Monitoring	Yes
	Volume Guarantee	Yes
	APRV	No
	Oxygen Therapy	Yes
	Esophageal/Transpulmonary pressure Monitoring	No
INTEGRATED	Integrated Nebulizer	Yes
CAPABILITIES	ETCO2 Inbuilt available	Yes
	Heliox Compatibility	No
	Humidifier	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
Monitored or Displayed	Peak Inspiratory Pressure Monitored	Yes
	Mean Airway Pressure	Yes
	PEEP Pressure	Yes
	Tidal Volume	Yes
	Minute Volume	Yes
	Spontaneous Minute Volume	Yes
	FiO2 Monitored	Yes
	Display Respiratory rate	Yes
	Display Inspiratory Time	Yes
	Display Expiratory Time	Yes, No
	Display I:E Ratio	Yes
Alarms	Low/High Fio2 Alarm	Yes
	Low Minute Volume Alarms	Yes
	High Minute Volume	Yes
	Low Inspiratory Pressure Alarm	Yes
	High Pressure Alarm	Yes
	Loss of PEEP Alarm	Yes
	Apnea	Yes
	Continuous High pressure/Occlusion Alarm	Yes
	Inverse I:E Ratio Alarm	No
	High Respiratory Rate Alarm	Yes
	High PEEP Alarm	Yes
	Breathing Circuit Disconnect Alarm	Yes
	Gas Supply Failure Alarm	Yes
	Power Failure Alarm	Yes
	Low Battery Alarm	Yes
Humdifier	Disposable Neonatal breathing circuit	50
	Water trap in expiratory limb available	Yes
	Auto Feed Humidification chamber Available	Yes, No
Additional Parameters	Output Ports Type	RS-232
	Remote Alarm Display Port	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
	Reporting (Vent alarms and Patient Status)	No
	View Reports on Display	Yes, No
	Save Data to USB	Yes
	Send Data Via Network	Yes
	Display Type	Dimmable color Capacitive touchscreen,TFT
	Display Size in Inches	≥ 15
	Can be used For Patient Transport	No
	In Built Air Compressor/Turbine	No
Accessories	Number of nenontal Reusable silicon breathing circuits	1
	Non-invasive masks	No
	Type of Flow Sensor	Reuasble
	No of Disposable flow sensor	NA if Reusable
	Trolley with ventillator with supporting arm from same manufacturer	Yes
	Autoclavable exhalation valve/expiratory cassette	2
	Test Lung Available	Yes
Power Requirements	Type of battery	Lead acid
	Operating time of battery in min	60
Miscellaneous Parameters	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5, 2

Additional Specification Parameters - Neonatal Ventilator (34 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Ventilation mode	Pressure controlled ventilation: CMV, SIMV, ACMV, PSV, MMV, VG,APRV Non I Modes: CPAP, Non-invasive positive pressure ventilation (NIPPV),O2-therapy

Specification Parameter Name	Bid Requirement (Allowed Values)
Pressure controlled ventilation: CMV, SIMV, ACMV, PSV, MMV, APRV Non Invasive Modes: CPAP, Non- invasive positive pressure ventilation (NIPPV),O2-therapy	Mandatory
Peak inspiratory pressure(cm ofH2O) 1 - 65 Positive end expiratory pressure(cm of H2O) 0 - 30 Fraction of inspired oxygen (%) 21 -100 Inspiratory time (sec) 0.10 - 4	Mandatory
Rate (per min) 1-150 Expiratory Tidal volume (Volume targeted mode) ml 2-100 Maximum flow during non invasive ventilation 0-30 lpm Inspiratory flow 2-30 lpm	Mandatory
Servo Control Humidifier Warranty & certification	Mandatory 2 years & 4 digit European CE / US FDA

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

	S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery D
1	L	Soma Das	700091,Swasthya Sathi, GN-29, Sector V, Salt Lake	34	15

Buyer Added Bid Specific Terms and Conditions

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following ac IPGMER and SSKM Hospital Kolkata Berhampore Medical College & Hospital B. C. Roy PGIPS Kolkata.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name V Medical Services Corporation Ltd. Account No. 105605003391 IFSC Code ICIC0001056 Bank Name ICICI BANK address BIDHANNAGAR, SALT LAKE, SECTOR-V.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

3. Generic

Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 2 year market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid ATC and Corrigendum if any.

5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibilit regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to t maximum of quoted GST %.

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1. Bidders may have to arrange for a functional demonstration of the offered equipment durin evaluation of the bids at **Kolkata**, West Bengal only, if desired by the Tender Inviting Authority (TI
- **2. Experience Criteria:** Bidder should submit following documents of same / similar type equipment in support of supplies made to Govt. hospitals or reputed private hospitals for the pe three calendar years ending December 2021:
 - Proof of installation (Installation certificate / Service report duly signed by the healthcare facility) of the same / similar type of medical equipment

OR

- Proof of payment against supply and installation of the same / similar type of medical ed
- 3. Preference for S.S.I. units registered in West Bengal & PSUs in West Bengal: In addition to all other terms and conditions as stated herein, EMD exemption is only applicable to MSME across the country and no other case following to Finance department U.O. No. Group T /2021-2022/1059, dated- 15.01.2022.
- **4.** Availability of Service Centers: OEM / Bidder must have a Functional Service Centre in **Kolkat** capability of providing service throughout West Bengal.
- **5.** Successful bidder/OEM will have to ensure that adequate number of dedicated technical servic / engineers are designated / deployed for attending to the Service Request in a time bound mar ensuring Timely Servicing / rectification of defects during warranty period.
- **6.** As many as number required, end user training must be provided within the warranty period charges.
- 7. Imposition of restrictions on bidder as per Memorandum bearing West Benga Department Memo No. 202-F(Y) Dated 18.01.2021 read with F.No.6/18/2019-PPD dated 2 of Ministry of Finance, Government of India where has been clearly mentioned that, any bic country which shares a land border with India will be eligible to bid in any procurement whethe services (including consultancy services and non-consultancy services) or works (including sub-co turnkey projects) only if the bidder is registered with the Competent Authority.
- **8.** https://ec.europa.eu/growth/tools-databases/nando/index.cfm?fuseaction=notifiedbody.main

The medical equipment should be USFDA/CE (4 digit Europeon notified body).

The organization those are issued CE certificate should be enlisted in the above link.

If any clarification required, the bidder should show us the document in the above link. The quote name & make should be mentioned in the certificate.

Form-A: Consignee Receipt Certificate (CRC)
(To be issued by consignee's authorized representative)

[The consignee may issue an additional challan receipt if delivered by courier or trans

[Name and designation of the sig	natory to be written capital letter]
-	of the Institute/Hospital with date)
[Name and designation of the sign	natory to be written capital letter]
(Signature & Office Seal of authori with c	zed representative of Consignees date)
Details of Batch /Serial Numbers, if any of item supplied:	
Invoice No. & Date:	
Place of destination (The dept. where the equipment will be actually installed):	
No. Of Box supplied :	
No. of Units supplied :	
Name of the Supplier:	
Purchase Order /Contract No.:	
Name of the item supplied (with Make & Model & Model No.):	
Name and Address of the Consignee:	
Date of supply by the Company Person or Courier:	

Form B: Satisfactory Installation Certificate (SIC)

(To be issued by the consignee after successful commissioning of equipment)

Bid Reference :

Award of Contract Reference :

Description of Equipment/Service :

Date of Commissioning :

Warranty up to :

This is to certify that the equipment(s) as detailed below has/have been received in good condition along with all the standard and special accessories, consumables, set of spares in accordance with the contract/technical specification of the equipment and site preparation including interiors as per bid document.

Details of equipment, accessories, consumables, spares, etc.

SI	Description	Quantity	Serial No. / Part No.
1			
2			
3			
4			
5			

In case of space deficiency, another sheet with the same format can be annexed.

The supplier has also submitted the following,

- 1. Tools for maintenance
- 2. Detailed operation and maintenance manual both in hard and soft copy for each item of supply at each location

The proving test has been done to our entire satisfaction. The equipments, its accessories and ancillaries of the site preparation including interiors is functioning satisfactorily and faultlessly

Declaration by Unit Head (HOD/MO-IC/Others) :
Sticker designed by NHM is fitted with the equipment Yes No
Signature
with Stamp :
Name (in Block)

P.T.O.

The following operators/ end users have been trained to operate the equipment(s),

SI	Name	Designatio n	Contact No	E-mail ID (In CAPS)	Signature
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					

14			
15			

In case of space deficiency, another sheet with the same format can be annexed.

Countersigned by the head of the institute / hospital:	
	Signature of Unit Head:
	(HOD/MO-IC/Others)
Signature	
Name	Name (in Block):
Designation with stamp	Designation with Stamp:
Date	

Specification of Neonatal Ventilator

Specification	Specification Name	Bid Requirement (<i>F</i> Values)
Performance	Patient Type	Neonatal
Parameters	Tidal Volume Range In ml	2 to 300
	Trigger Sensitivity Mechanism	Flow
	Flow Pattern / Waveform Adjustment	Yes
	IE Ratio range	1:10 to 4:1

	Sigh Breath Function	Yes, No
	Leak Compensation Available	Yes (more than 90%)
	Auto 100% increase O2 Button	Yes/no
	Inspiratory Pause Available	Yes/no
	Expiratory Hold Available	Yes/no
	Suction Control Option Available	Yes
	Nasal CPAP Option Available	Yes
	Auto PEEP Manoeuvre	Yes/no
	Control Panel Lock	Yes, No
	Facility for double lung ventilation	Yes
Ventilation Modes	CMV (Controlled Mandatory Ventilation)	Yes, No
	Assisted / Controlled Ventilation	Yes, No
	PSV (Pressure supported ventilation)	Yes
	SIMV (Synchronized Intermittent Mandatory Ventilation)	Yes, No
	CPAP(Continuous Positive Airway Pressure Ventilation)	Yes, No
	Pressure Controlled 3 Selectable inspiratory pressure	Rectangle
	P-CMV (Inspiration pressure control)	Yes
	P-CMV With Expiratory Minimal volume	Yes
	P-CMV with minimum pressure	Yes
	SIMV (Synchronized intermittent Mandatory Ventilation) with PCMV	Yes
	ITT - Inspiratory Time Termination	Yes
	CPAP: Continuos Positive Airway pressure Ventilation CPAP With backup Ventilation	Yes
	P-CMV with Exp Volume control Available	Yes, No
	High Frequency Oscillation Ventilator (HFOV)	Yes (facility for upgra
High Frequency	Frequency	5 to 20
Oscillations		

	Amplitude	0-100
PATIENT ASSESSMENT TOOLS	Maximum Waveform Displayed	User friendly pulmona graphics configuratio parameters
	Maximum Trending Time	≥72
	Lung recruitment tools (PV loops)	Yes, No
	Stress Index	No
	Lung Mechanics Visualization Tool	Yes, No
	Capnography / Co2 Monitoring	Yes
	Volume Guarantee	Yes
	APRV	No
	Oxygen Therapy	Yes
	Esophageal / Transpulmonary pressure Monitoring	No
INTEGRATED	Integrated Nebulizer	Yes
CAPABILITIES	ETCO2 Inbuilt available	Yes
	Heliox Compatibility	No
	Humidifier	Yes
Monitored or	Peak Inspiratory Pressure Monitored	Yes
Displayed	Mean Airway Pressure	Yes
	PEEP Pressure	Yes
	Tidal Volume	Yes
	Minute Volume	Yes
	Spontaneous Minute Volume	Yes
	FiO2 Monitored	Yes
	Display Respiratory rate	Yes
	Display Inspiratory Time	Yes
	Display Expiratory Time	Yes, No
	Display I:E Ratio	Yes
Alarms	Low/High Fio2 Alarm	Yes
	Low Minute Volume Alarms	Yes
	High Minute Volume	Yes

	Low Inspiratory Pressure Alarm	Yes
	High Pressure Alarm	Yes
	Loss of PEEP Alarm	Yes
	Apnea	Yes
	Continuous High pressure / Occlusion Alarm	Yes/no
	Inverse I:E Ratio Alarm	No
	High Respiratory Rate Alarm	Yes
	High PEEP Alarm	Yes
	Breathing Circuit Disconnect Alarm	Yes
	Gas Supply Failure Alarm	Yes
	Power Failure Alarm	Yes
	Low Battery Alarm	Yes
Humdifier	Disposable Neonatal breathing circuit	50
	Water trap in expiratory limb available	Yes
	Auto Feed Humidification chamber Available, Reusable	Yes
Additional	Output Ports Type	RS-232
Parameters	Remote Alarm Display Port	Yes
	Reporting (Vent alarms and Patient Status)	No
	View Reports on Display	Yes, No
	Save Data to USB	Yes
	Send Data Via Network	Yes
	Display Type	Dimmable color Capa touchscreen, TFT
	Display Size in Inches	≥ 15
	Can be used For Patient Transport	No
	In Built Air Compressor / Turbine	No
Accessories	Number of nenontal Reusable silicon breathing circuits	1, 2, 3
	Non-invasive masks	No
	Type of Flow Sensor	Reuasble

	No of Disposable flow sensor		NA if Reusable
	Trolley with ventillator with supporting arm from same manufacturer		Yes
	Autoclavable exhalation cassette	valve / expiratory	2
	Test Lung Available		Yes
Power	Type of battery		Lead acid
Requirements	Operating time of batter	y in min	60
Miscellaneous Parameters	Warranty (Option of com warranty is available thr only, which if opted will warranty in the catalogu	ough bidding supersede normal	3, 4, 5, 1, 2
	Additional Specification	n Parameters - Neonatal V	entilator
Specificatio	n Parameter Name	Bid Require	ement (Allowed Values)
Ventilation mode		Pressure controlled ventilation: CMV, SIMV PSV, MMV, VG,APRV Non Invasive Modes: Non-invasive positive pressure ventilation (NIPPV),O2-therapy	
Pressure controlled ventilation: CMV, SIMV, ACMV, PSV, MMV, APRV Non Invasive Modes: CPAP, Non-invasive positive pressure ventilation (NIPPV),O2- therapy		Mandatory	
Servo Control Humidifier		Mandatory	
Peak inspiratory pressure(cm ofH2O) 1 – 65 Positive end expiratory pressure(cm of H2O) 0 – 30 Fraction of inspired oxygen (%) 21 –100 Inspiratory time (sec) 0.10 – 4		Mandatory	
Rate (per min) 1–150 Expiratory Tidal volume (Volume targeted mode) ml 2-100 Maximum flow during non invasive ventilation 0-30 lpm Inspiratory flow 2-30 lpm		Mandatory	
Warranty & certification		2 years & 4 digit European CE / US FDA	

7. Warranty

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after

of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. Ol Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller sho guarantee the rectification of goods in case of any break down during the guarantee period. Seller should hav established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA fc the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with t

8. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technic parameters, the bid is liable for rejection.

9. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Support.

10. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

11. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders to accept the orders accordingly.

12. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provid Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive w shall be covering the following scope All spare parts & labour (Upload an undertaking with the bid confirming by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM is to be uploaded along with Bidder undertaking)

13. Scope of Supply

Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of

14. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / interner also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name West Beneficiary Corporation Ltd. Account No. 105605003391 IFSC Code ICIC0001056 Bank Name ICICI BANK Branch BIDHANNAGAR, SALT LAKE, SECTOR-V. Successful Bidder to indicate Contract number and name of Seller ent transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Transfer in place of PBG within 15 days of award of contract.

15. Warranty

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engine designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely 5 rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause

16. Generic

Scope of supply includes Training: Number of employees to be trained 170 , Place for Training at the consign and Duration of training 2 days.

17. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / screquirement during warranty period, Seller has to complete the required Service / Rectification within 3 days the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buy else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cur Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Sel be liable to re-imberse the cost of such service / rectification to the Buyer.

18. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test cert approval certificates and other certificates as prescribed in the Product Specification given in the bid docume

19. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy availal Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated D Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchas the Seller.

20. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screensh portal confirming payment of GST.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its out consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in Incommandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of be any reference of conditions published on any external site or reference to external documents / clauses shall also be void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this be raise their representation against the same by using the Representation window provided in the bid details field in Season dather logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all sucrepresentations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which share India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---



Bid Number: GEM/2022/B/2156793

Dated: 11-05-2022

Bid Corrigendum

GEM/2022/B/2156793-C2

e Marketplace

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

- 1. Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address IPGMER and SSKM Hospital Kolkata Berhampore Medical College & Hospital B. C. Roy PGIPS Kolkata.
- 2. Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name West Bengal Medical Services Corporation Ltd. Account No. 105605003391 IFSC Code ICIC0001056 Bank Name ICICI BANK Branch address BIDHANNAGAR, SALT LAKE, SECTOR-V. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.
- 3. Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.
- 4. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 5. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
- 6. Buyer Added text based ATC clauses
 - Bidders may have to arrange for a functional demonstration of the offered equipment during technical evaluation of the bids at Kolkata, West Bengal only, if desired by the Tender Inviting Authority (TIA).
 - 2. **Experience Criteria:** Bidder should submit following documents of same / similar type of medical equipment in support of supplies made to Govt. hospitals or reputed private hospitals for the period of last three calendar years ending December 2021:
 - Proof of installation (Installation certificate / Service report duly signed by the hospital / healthcare facility) of the same / similar type of medical equipment

OF

- Proof of payment against supply and installation of the same / similar type of medical equipment.
- 3. Preference for S.S.I. units registered in West Bengal & PSUs in West Bengal: In addition to all other terms and conditions as stated herein, EMD exemption is only applicable to MSME across the country and no other case following the spirit of Finance department U.O. No. Group T /2021-2022/1059, dated-15.01.2022.
- **4.** Availability of Service Centers: OEM / Bidder must have a Functional Service Centre in **Kolkata** and have capability of providing service throughout West Bengal.

- **5.** Successful bidder/OEM will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period.
- **6.** As many as number required, end user training must be provided within the warranty period without any charges.
- 7. Imposition of restrictions on bidder as per Memorandum bearing West Bengal Finance Department Memo No. 202-F(Y) Dated 18.01.2021 read with F.No.6/18/2019-PPD dated 23.07.2020 of Ministry of Finance, Government of India where has been clearly mentioned that, any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including sub-contracts and turnkey projects) only if the bidder is registered with the Competent Authority.
- **8.** https://ec.europa.eu/growth/tools-databases/nando/index.cfm?fuseaction=notifiedbody.main

The medical equipment should be USFDA/CE (4 digit Europeon notified body).

The organization those are issued CE certificate should be enlisted in the above link.

If any clarification required, the bidder should show us the document in the above link. The quoted model name & make should be mentioned in the certificate.

Form-A: Consignee Receipt Certificate (CRC) (To be issued by consignee's authorized representative)

[The consignee may issue an additional challan receipt if delivered by courier or transporter]

Date of supply by the Company Person or Courier:	
Name and Address of the Consignee:	
Name of the item supplied (with Make & Model & Model No.):	
Purchase Order /Contract No.:	
Name of the Supplier:	
No. of Units supplied :	
No. Of Box supplied :	

rized representative of Consignees date)
natory to be written capital letter]
ridiory to be written capital recter;
of the Institute/Hospital with date)
gnatory to be written capital letter]

Fo

(To be issued by the consignee after successful commissioning of equipment)

Bid Reference

Award of Contract Reference

Description of Equipment/Service

Date of Commissioning

Warranty up to

This is to certify that the equipment(s) as detailed below has/have been received in good condition along with all the standard and special accessories, consumables, set of spares in accordance with the contract/technical specification of the equipment and site preparation including interiors as per bid document.

Details of equipment, accessories, consumables, spares, etc.

SI	Description	Quantity	Serial No. / Part No.
1			

2		
3		
4		
5		

In case of space deficiency, another sheet with the same format can be annexed.

The supplier has also submitted the following,

- 1. Tools for maintenance
- 2. Detailed operation and maintenance manual both in hard and soft copy for each item of supply at each location

The proving test has been done to our entire satisfaction. The equipments, its accessories and ancillaries of the site preparation including interiors is functioning satisfactorily and faultlessly

Declaration by Unit Head (HOD/MO-IC/Others) :
Sticker designed by NHM is fitted with the equipment Yes No
Signature
with Stamp :
Name (in Block)

P.T.O.

The following operators/ end users have been trained to operate the equipment(s),

SI	Name	Designation	Contact No	E-mail ID (In CAPS)	Signature
1					
2					
3					
4					
5					
6					

7			
8			
9			
10			
11			
12			
13			
14			
15			

In case of space deficiency, another sheet with the same format can be annexed.

Countersigned by the head of the institution hospital:	ite /
	Signature of Unit Head:
	(HOD/MO-IC/Others)
Signature	
	Name
	(in Block):
Name	
Designation with stamp	Designation with Stamp:
Date	

Based on the discussion in pre-bid meeting held on 10.05.2022, the following amendment has been made:

Revised Specification of Neonatal Ventilator

	Revised Specification	of Neonacai Ventilacoi
Specification	Specification Name	Bid Requirement (Allowed Values)
	Patient Type	Neonatal
	Tidal Volume Range In ml	2 to 300
	Trigger Sensitivity Mechanism	Flow
	Flow Pattern / Waveform Adjustment	Yes
	IE Ratio range	1:10 to 4:1
	Sigh Breath Function	Yes, <mark>No</mark>
	Leak Compensation Available	Yes (100%)
Performance Parameters	Auto 100% increase O2 Button	Yes/no
	Inspiratory Pause Available	Yes/no
	Expiratory Hold Available	Yes/no
	Suction Control Option Available	Yes
	Nasal CPAP Option Available	Yes
	Auto PEEP Manoeuvre	Yes/no
	Control Panel Lock	Yes/no
	Facility for double lung ventilation	Yes
	CMV (Controlled Mandatory Ventilation)	Yes
	Assisted / Controlled Ventilation	Yes
	PSV (Pressure supported ventilation)	Yes
	SIMV (Synchronized Intermittent Mandatory Ventilation)	Yes Yes
	CPAP(Continuous Positive Airway Pressure Ventilation)	Yes
	Pressure Controlled 3 Selectable inspiratory pressure	Rectangle
Ventilation Modes	P-CMV (Inspiration pressure control)	Yes
	P-CMV With Expiratory Minimal volume	Yes
	P-CMV with minimum pressure	Yes
	SIMV (Synchronized intermittent Mandatory Ventilation) with PCMV	Yes
	ITT - Inspiratory Time Termination	Yes
1	I	ı

	CPAP: Continuos Positive Airway pressure Ventilation CPAP With backup Ventilation	Yes
	P-CMV with Exp Volume control Available	Yes, No
	High Frequency Oscillation Ventilator (HFOV)	Yes (facility for upgradation)
High Frequency	Frequency	5 to 20
Oscillations	Amplitude	0-100
	Maximum Waveform Displayed	User friendly pulmonary graphics configuration for all parameters
	Maximum Trending Time	≥72
	Lung recruitment tools (PV loops)	Yes
	Stress Index	No
PATIENT	Lung Mechanics Visualization Tool	Yes
ASSESSMENT TOOLS	Capnography / Co2 Monitoring	Yes
TOOLS	Volume Guarantee	Yes
	APRV	Yes
	Oxygen Therapy	Yes
	Esophageal / Transpulmonary pressure Monitoring	No
	Integrated Nebulizer	Yes
INTEGRATED	ETCO2 Inbuilt available	Yes
CAPABILITIES	Heliox Compatibility	No
	Humidifier	Yes
	Peak Inspiratory Pressure Monitored	Yes
	Mean Airway Pressure	Yes
	PEEP Pressure	Yes
	Tidal Volume	Yes
	Minute Volume	Yes
Monitored or Displayed	Spontaneous Minute Volume	Yes
	FiO2 Monitored	Yes
	Display Respiratory rate	Yes
	Display Inspiratory Time	Yes
	Display Expiratory Time	Yes

Ĺ	I	1
	Display I:E Ratio	Yes
	Low/High Fio2 Alarm	Yes
	Low Minute Volume Alarms	Yes
	High Minute Volume	Yes
	Low Inspiratory Pressure Alarm	Yes
	High Pressure Alarm	Yes
	Loss of PEEP Alarm	Yes
	Apnea	Yes
Alarms	Continuous High pressure / Occlusion Alarm	Yes
	Inverse I:E Ratio Alarm	No
	High Respiratory Rate Alarm	Yes
	High PEEP Alarm	Yes
	Breathing Circuit Disconnect Alarm	Yes
	Gas Supply Failure Alarm	Yes
	Power Failure Alarm	Yes
	Low Battery Alarm	Yes
	Disposable Neonatal breathing circuit	50
Humidifier	Water trap in expiratory limb available	Yes
	Auto Feed Humidification chamber Available, Reusable	Yes
	Output Ports Type	RS-232
	Remote Alarm Display Port	Yes
	Reporting (Vent alarms and Patient Status)	No
	View Reports on Display	Yes, No
Additional	Save Data to USB	Yes
Parameters	Send Data Via Network	Yes
	Display Type	Dimmable color Capacitive touchscreen, TFT
	Display Size in Inches	≥ 15
	Can be used For Patient Transport	No
	In Built Air Compressor / Turbine	No
	Number of neonatal Reusable silicon	10

	1	
Accessories	breathing circuits with each machine	
	Nasal masks with each machine	_ <mark>10</mark>
	Type of Flow Sensor (Hot air anemometer)	Reusable (10)
	Type of flow Sensor (flor all discinometer)	reasone (10)
	Nasal Cannula (preterm)	<mark>10</mark>
	Nasal Cannula (term)	<mark>10</mark>
	No of Disposable flow sensor (Hot air anemometer)	NA if Reusable
	Trolley with ventilator with supporting arm from same manufacturer	Yes
	Autoclavable exhalation valve / expiratory cassette	2
	Test Lung Available	Yes
Power	Type of battery	Lead acid
Requirements	Operating time of battery in min	60
Additional Specific	ation Parameters - Neonatal Ventilator	
Specification Parameter Name		Bid Requirement (Allowed Values)
Ventilation mode		Pressure controlled ventilation: CMV, SIMV, ACMV, PSV, MMV, VG,APRV Non Invasive Modes: CPAP, Non-invasive positive pressure ventilation (NIPPV),O2-therapy Volume guarantee mode of ventilation, facility for combination with SIMV, ACMV & PSV
Pressure controlled ventilation: CMV, SIMV, ACMV, PSV, MMV, APRV Non Invasive Modes: CPAP, Non-invasive positive pressure ventilation (NIPPV),O2-therapy		Mandatory
Servo Control Humidifier (<mark>US FDA approved</mark>)		Mandatory
Peak inspiratory pressure(cm ofH2O) 1 - 65 Positive end		
expiratory pressure(cm ofH2O) 1 – 65 Positive end expiratory pressure(cm of H2O) 0 – 30 Fraction of inspired		Mandatory
oxygen (%) 21 –100 Inspiratory time (sec) 0.10 – 4		
oxygen (%) 21 -10	0 Inspiratory time (sec) 0.10 - 4 50 Expiratory Tidal volume (Volume targeted	Mandatory
oxygen (%) 21 -10 Rate (per min) 1-1 mode) ml 2-100 M	0 Inspiratory time (sec) 0.10 - 4 50 Expiratory Tidal volume (Volume targeted aximum flow during non invasive ventilation	Mandatory
oxygen (%) 21 -10	0 Inspiratory time (sec) 0.10 - 4 50 Expiratory Tidal volume (Volume targeted aximum flow during non invasive ventilation by flow 2-30 lpm	Mandatory 2 years & 4 digit European CE / US FDA

^{7.} Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of

- Service Centres near consignee destinations are to be uploaded along with the bid.
- 8. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
- 9. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 10. Installation, Commissioning, Testing, Configuration, Training (if any which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.
- 11. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 12. Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope All spare parts & labour (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)
- 13. Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods
- 14. Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name West Bengal Medical Services Corporation Ltd. Account No. 105605003391 IFSC Code ICIC0001056 Bank Name ICICI BANK Branch address BIDHANNAGAR, SALT LAKE, SECTOR-V. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.
- 15. Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.
- 16. Scope of supply includes Training: Number of employees to be trained 170, Place for Training at the consignee location and Duration of training 2 days.
- 17. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 18. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
- 19. Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
 - i) The Seller fails to comply with any material term of the Contract.
 - ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
 - iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
 - iv) The Seller becomes bankrupt or goes into liquidation.
 - v) The Seller makes a general assignment for the benefit of creditors.
 - vi) A receiver is appointed for any substantial property owned by the Seller.
 - vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
- 20. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void.

This Bid is also governed by the General Terms and Conditions

^{*}This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.