

# WEST BENGAL MEDICAL SERVICES CORPORATION LTD

(Wholly Owned by the Government of West Bengal)

CIN:U85110WB2008GC126373 2008-09

Regd. Off. Swasthya Sathi, GN-29, Sector-V, Salt Lake

Phone: 033 40340300 Fax: 033 40340400 email id: [info@wbmsc.gov.in](mailto:info@wbmsc.gov.in)

## Name of work:

**Fixing of Additional Doors at 1st & 6th Floor at Balurghat SSH**

## NOTICE INVITING TENDER

**Memo No: WBMSCL/NIT- 40/2021**

**Dated – 15/02/2021**

Managing Director, West Bengal Medical Services Corporation Limited, Swasthya Sathi, GN-29, Sector-V, Kolkata - 700 091, invites sealed bids from eligible contractors with experience of similar nature of work for the work **Fixing of Additional Doors at 1st & 6th Floor at Balurghat SSH.**

. The details may be available at Notice Board of WBMSCL & website [www.wbmsc.gov.in](http://www.wbmsc.gov.in) and to be submitted (offline) on or before 1:00 P.M. on 22/02/2021.

No of Site	1 no.
Estimated Amount	53,339.00
Bid Security/EMD	The bidder will have to deposit earnest money Rs. 1066.00 (In the form of DD from a scheduled bank drawn in favour of "West Bengal Medical Services Corporation Ltd").
Security Deposit	10% of the contract amount to be deducted from the Bill for each work.
Releasing of Security Deposit	One year from the date of completion of work
Tender Publication Date	15/02/2021
Last date of Submission of Tender	22/02/2021 Upto 1:00 PM
Date of Opening of Tender Document	22/02/2021 at 3:00 PM
Validity of Quotation	120 days from the date of opening of the financial bid of the tender.
Time allowed for completion of Work	15 days from the date of Work order for both the work

Eligibility of participating bidder	Bonafied reliable and resourceful firm having executed similar nature of Work.  Intending tenderers should produce credentials of a similar nature of completed work of the minimum value of 40% of the estimated amount put to tender.
Bid opening Venue	West Bengal Medical Services Corporation Ltd, Swasthya Sathi, GN -29 , Sector – V, Salt Lake, Kolkata – 700091.

Prospective bidders are requested to submit the bid in a sealed cover addressed to the Managing Director, West Bengal Medical Services Corporation Ltd, Swasthya Sathi, GN -29, Sector – V, Salt Lake, Kolkata – 700091 within the stipulated date & time.

Bidders are instructed to submit their bid consisting of two sealed envelope called “Qualifying Bid” & “Financial Bid” in the tender box of WBMSCL by hand. Bid will not be taken by postal system/courier.

**Documents comprising the bid:** ( Bidders are instructed to submit their bid consisting of two sealed envelope called Qualifying Bid & Financial Bid.)

**The Qualifying Bid shall comprise the following: -**

- a. PAN No.
- b. GST registration no.
- c. IT Return for the assessment year of 2020-21.
- d. Experience in similar field
- E. Duly signed NIT
- F. Trade License

**The Financial Bid shall comprise the following:**

Applicable Rate Schedules as per printed format on the letter head of the intending bidder.

(Rate must be given in the B.O.Q. provided below, on the letter head of the intending bidder. Rate is inclusive of all taxes, charges in respect of all the sites/location. Any taxes, charges etc shown separately will not be considered. Rate Quote in any other format will be treated as cancelled).

The intending bidder(s) required to quote the rate (percentage above/below/at par) over the total estimated cost put to tender considering that no escalation and / or price adjustment will be allowed by the department under any circumstances.

**A bidder shall have to furnish signed "Financial Bid" on their letter head.** The financial bid of only of those bidders will be opened who meet all the requirements of the technical bid.

Failing to fulfill the requirements and eligibility criteria set in the bid document will make the bidders Bid invalid. WBMSCL reserves the right to cancel or reject any or all of the Bids without assigning any reason whatsoever.

Sd/-  
Managing Director &  
Commissioner, H & F W Department

B.O.Q					
NAME OF THE WORK: Fixing of Additional Doors at 1st & 6th Floor at Balurghat SSH					
Item No.	Particulars	Total Quantity	Unit	Rate	Amount
				[ In Rs. ]	[ In Rs. ]
	Aluminium Works:				
1	Supplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS: 732-1983 and IS: 1285- 1975; Annodized (with required film thickness and specified colour / natural) matt finished conforming to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer-In-Charge. (Payment will be made on finished length of the work).				
	(A) In 10-12 Micron thickness Annodizing film				
	l) Natural white				
	k) Movable door shutter				
	i) Door Frame (Top & Sides)				
	1st Floor	5.7	Mtr.	356.33	2,031.07
	6th Floor	6.6	Mtr.	356.33	2,351.76
	ii) Shutter				
	a) Top Rail				
	1st Floor	1.4	Mtr.	343.88	481.44
	6th Floor	2.3	Mtr.	343.88	790.94
	b) Bottom Rail				
	1st Floor	1.4	Mtr.	506.78	709.49
	6th Floor	2.3	Mtr.	506.78	1,165.59
	c) Lock Rail				
	1st Floor	1.4	Mtr.	426.46	597.05
	6th Floor	2.3	Mtr.	426.46	980.86
	d) Door Vertical				
	1st Floor	8.400	Mtr.	375.56	3,154.69
	6th Floor	8.400	Mtr.	375.56	3,154.69
	Glazing clip				
	1st Floor	56.000	Mtr.	56.56	3,167.36
	6th Floor	68.800	Mtr.	56.56	3,891.33
2	Labour charge for fabrication and installation of composite door, window, partitions made from annodized extruded alloy aluminium sections for the following units:-				

Item No.	Particulars	Total Quantity	Unit	Rate	Amount
	(B) Partly glazed partly panelled or fully glazed single leaf aluminium swing door made of extruded and anodized alloy aluminium sections, fabrication including cutting to proper shape and size, drilling and aligning, fitted with heavy duty hydraulic action floor spring placed in the floor with mending damages, with top pin assembly of approved make and brand, fitted with in built locking arrangement, flush bolt, glazing clips and all other necessary fittings, fixtures, adhesives and joineries, cutting glass of approved make to requisite shape and size fitting with dry set neoprene or EPDM gasketing, cutting to requisite shape and size panel board (prelaminated particle board) fixing them with glazing clips as per drawing, specification and direction of Engineer in charge.				
	The rate includes the hire charge of all tools and plants, adhesive, joineries such as screw, cleat angle etc. but excluding the cost of extruded aluminium sections, glass, panel boards neoprene / EPDM gasket, locking arrangement, weather gasket / wool pile, floor spring, top pin, handle, tower bolt, glazing clips etc. (10% rate reduction has to be made for swing doors or partitions where floor spring is not used. 10% enhancement of rate is to be made where door frame of extruded aluminium sections has to be fitted and fixed to masonry wall. 5% rate enhancement may be allowed for double leaf swing door. Payment shall be made for the shutter area only except where door frame is fixed the entire opening shall be taken to consideration. Payment for door frame sections are to be paid separately).				
	1st Floor	3.15	SqM	1,390.19	4,379.09
	6th Floor	5.04	SqM	1,467.11	7,394.23
3	Supplying EPDM gasket of approved make and brand as per direction of Engineer in charge.				
	iii) weather gasket / wool pile for door vertical.				
	1st Floor	4.200	Mtr.	21.49	90.27
	6th Floor	4.200	Mtr.	21.49	90.27

Item No.	Particulars	Total Quantity	Unit	Rate	Amount
4	Supplying bubble free float glass of approved make and brand conforming to IS: 2835-1987; (A) clear, toughened glass conforming to IS: 2553-1992 (part-II)				
	i) 6mm thick				
	1st Floor	0.930	SqM	1,082.56	1,006.78
	6th Floor	1.628	SqM	1,082.56	1,762.41
5	Supplying 4 lever mortice lock or any approved make and brand as per direction of the Engineer- in - Charge.				
	i) 150 mm.				
	1st Floor	1.000	Nos.	427.59	427.59
	6th Floor	1.000	Nos.	427.59	427.59
6	(A) Supplying Aluminium casted body hydraulic door closer as per I.S.I.				
	1st Floor	2.000	Nos.	718.31	1,436.62
	6th Floor	2.000	Nos.	718.31	1,436.62
	(C) Supplying Heavy Duty Aluminium Handle (EBCO Type) (Natural White)				
	1st Floor	4.000	Nos.	108.60	434.38
	6th Floor	4.000	Nos.	108.60	434.38
	(D) Supplying Aluminium casted body Butt Hinge (KOBRA type). (Natural white)				
	1st Floor	8.000	Nos.	63.35	506.78
	6th Floor	8.000	Nos.	63.35	506.78
	7	Anodised aluminium barrel / tower / socket bolt (full covered) of approved manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with cadmium plated screws:			
(iii) 100mm long x 10mm dia. bolt.					
1st Floor		2.000	Nos.	59.95	119.91
6th Floor		2.000	Nos.	59.95	119.91
8	Filling the gap in between aluminium frame & adjacent RCC / Brick/ Stone work by providing weather silicon sealant over 6mm dia backer rod of approved quality as per architectural drawings and direction of Engineer-in-Charge complete. Upto 5 mm depth and 5 mm width				
	1st Floor	4.20	Mtr.	81.45	342.07
	6th Floor	4.20	Mtr.	98.41	413.34

Item No.	Particulars	Total Quantity	Unit	Rate	Amount
9	i) Fixed partitions. (Unsupported length of vertical member upto 1.5 mtr. Height of both ends of vertical member restrained but panels within 0.9 sq.m.)				
	i) Top , bottom & side member.				
	1st Floor	3.60	Mtr.	363.12	1,307.21
	6th Floor	5.40	Mtr.	363.12	1,960.82
	ii) Intermediate member.				
	1st Floor	0.30	Mtr.	383.48	115.04
	6th Floor	0.30	Mtr.	383.48	115.04
	iii) Glazing clip.				
	1st Floor	28.000	Mtr.	56.56	1,583.68
	6th Floor	34.400	Mtr.	56.56	1,945.66
10	Labour charge for fabrication and installation of composite door, window, partitions made from annodized extruded alloy aluminium sections for the following units:-				
	D) Partly glazed and partly panelled partition or fixed glazing made of extruded and anodised alloy aluminium sections, fabrications after cutting to proper shape and size, drilling and aligning fitted with inbuilt locking arrangement cutting the glass / board (prelaminated / particle / block) to requisite shape and size moulding the edges fitted and fixed glazing clips and dry set neoprine /EPDM gasket, along with all other necessary arrangements for fixing the partition to walls, floors, beams, columns polysulphide sealant for water proofing if necessary complete in all respect as per drawing and specifications and direction of the Engineer in charge.				
	I) For partitions using section of size:				
	a) 63.50 mm x 38.10 mm				
	1st Floor	0.45	Sq.M	837.09	376.69
	6th Floor	0.72	Sq.M	914.01	658.09

Item No.	Particulars	Total Quantity	Unit	Rate	Amount
11	Wall panelling / partition with Melamine faced 3 layered flat pressed wood particle board of approved make and brand as per direction of Engineer - in - Charge of requisite grade bonded with phenol formaldehyde synthetic resin conforming to IS: 848 - 1974 (excluding the cost of supporting frame work and teak wood battens / lipping)				
	(B) Prelaminated particle board conforming to IS: 3087 - 1985 and IS 12823 - 1990.				
	(ii) Both side decorative laminate				
	(a) Exterior grade				
	9mm thick				
	1st Floor	0.45	Sq.M	1,257.89	566.05
	6th Floor	0.72	Sq.M	1,257.89	905.68
	<b>Total</b>				<b>53,339.00</b>
	<b>(Rupees: Fifty three thousand three hundred thirty nine only)</b>				
	Quoted Percentage of Rate (Above +)				
	Quoted percentage of rate (At Par)				
	Quoted percentage of rate (At Below-)				
Quoted rate in words :					

Sd/-  
Managing Director & Commissioner,  
H & F W Department