



Notice Inviting e-Tender

West Bengal Medical Services Corporation Limited
Swasthya Sathi
GN-29, Salt Lake, Sector-V
Kolkata-700091

Phone No (033) 40340308/319
E mail: procurement@wbmsc.gov.in

SUPPLY AND COMMISSIONING OF MEDICAL EQUIPMENT AT MEDICAL COLLEGE AND HOSPITAL OF THE GOVERNMENT OF WEST BENGAL (Group 1).

(Submission of Bid through *online*)

Bid Reference No.: WBMSCL/NIT- 216/2018

Dated-12.10.2018

The following amendments have been made in the tender document,

Amendment –II (Revision of Technical Specification)

The revised technical specifications for the item is given below,

Echocardiography Machine:

Parameter / Feature	Threshold Limit / Range
Monitor size (diagonal) in inch	21 or more
Frame rate per second	2500 or more
MUST HAVE SPECIFICATION	
Parameter / Feature	Yes / No
Latest and state-of the art	
Adult cardiac probe (2D): 2-5 (± 1) MHz	
4D TTE Probe: 1-5 (± 1) MHz	

Pediatric cardiac probe: 3-8 (± 1) MHz	
Vascular probe: 3-10 (± 1) MHz	
Adult TEE probe (4D): 3-8 (± 1) MHz	
Imaging & operating modes: 2D, M mode, CW, color M mode, Anatomical M mode, color power Doppler	
Colour Doppler, Tissue Doppler, Pulse wave Doppler	
Continuous tissue optimization	
HI-FI PAN zoom capability	
Live/frozen/stored images	
Vascular hemodynamics	
Tissue velocity imaging (TVI) & tissue tracking	
Strain & strain rate imaging	
Pharmacological & exercise stress echo	
Modify & create protocol templates	
Well segment scoring & reporting	
Zoom capability in stress echo review	
Uninterrupted power supply	
Latest software for the required feature/output	
CD/DVD writer & pen drive facility	
High resolution TFT-LCD / LED monitor	
Electrical Safety and Quality Certification	
European CE & US FDA approved	