

Notice Inviting e-Tender

West Bengal Medical Services Corporation Limited Swasthya Sathi GN-29, Salt Lake, Sector-V Kolkata-700091

Phone No (033) 40340307/319 E mail: procurement@wbmsc.gov.in

Procurement of Pediatric Endoscope for Department of Medical Gastroenterology at Medical College & Hospital, Kolkata

(Submission of Bid through online)

Bid Reference No.: WBMSCL/NIT-556/2025 Dated-26.06.2025

The following amendment has been made in the tender document,

<u>Amendment – 2</u>

TECHNICAL SPECIFICATION

Pediatric Endoscopy System

Ultra Slim Gastrovideoscope

• Should have optical enhancement technology i.e. NBI/BLI & LCI/OE - I SCAN

• Fully immerssible in disinfectant solution

Field of view : 140 degree or more

Direction of view : 0 degree, forward viewing

Depth of field : must be 3-100mm or better

Distal end outer diameter : 5.8mm or less Insertion tube outer diameter: 5.9 mm or less

Tip Bending range : Up 210 deg, Dn 90 deg, Lt & Rt 100 deg.

Working length : 1100 mm or more Channel inner diameter : 2.2 mm or more

Video Processor:

- Equipped with HDTV imaging capacity with optical enhancement technology i.e. NBI/BLI & LCI/ OE - I SCAN
- Light Source: Should have 300 Watt Xenon / LED Lamp (Manufucturer of LED lamp should provide valid proof and undertaking of equivalence of LED lamp with 300 Watt Xenon)

- Digital signal output: Must have HD-SDI / DVI-D output.
- Should have 2 types of structure enhancement
- Electronic Zoom upto 1.5X and pre freeze function for image stabilization

High Definition LCD Monitor:

• 24 inch or more full HD LCD monitor of Medical Grade

Trolley:

• Compact High Quality trolley

Recording System:

- Computer System along with printer and software should be provided along with the system **Accessories**
- Guide Wire: 2 pcs; Sphinctrotome: 2 pes; Stone Extractor Balloon 2 Pcs; Biopsy Forceps compatible with the scope (Disposable) for UGI 40 pc each; Stone extractor basket 2 Pc
- **Certificate**: The bidder/OEM should submit valid CDSCO Certificate/ Registration/ License for both the manufacturer(s) and importer(s) as applicable.